AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AL-OBAIDI M. *see* KARIM F. & AL-OBAIDI M. The influence of left atrial receptors on reflex renal responses to stimulation of the carotid chemoreceptors in anaesthetized dogs. (C) 42*P*

AL-SHAIKH M.A. *see* MEPHAM T.B., PROSSER C.G., ROYLE C., SILVESTER L.M., AL-SHAIKH M.A. & FLEET I.R. The galactopoietic response to exogenous growth hormone in ruminants is associated with raised milk glucose concentration. (C) 21*P*

ANGELL-JAMES J.E., BESSER G.M., BOULOUX P., COLLIER D.J., GROSSMAN A. & MCMURRAY R.G. Naloxone infusion and carotid sinus baroreceptor reflex in resting man. (C) 37*P*

APPENTENG Kwabena, CURTIS John C. & MOORE Jane A. Unitary monosynaptic EPSPs elicited by V interneurones in V motoneurones of anaesthetized rats. (C) 46*P*

ARGENT B.E. *see* ASHTON N., ARGENT B.E. & GREEN R. Effect of vasoactive intestinal peptide, bombesin and substance P on fluid secretion by isolated rat pancreatic ducts. 471

ASHLEY C.C. *see* LEA T.J. & ASHLEY C.C. Ca^{2+} release from the sarcoplasmic reticulum of barnacle myofibrillar bundles initiated by photolysis of caged Ca^{2+}. 435

ASHTON N., ARGENT B.E. & GREEN R. Effect of vasoactive intestinal peptide, bombesin and substance P on fluid secretion by isolated rat pancreatic ducts. 471

ASTRUP A.V., THORBEK G., LIND J. & ISAKSSON B. Prediction of 24 h energy expenditure and its components from physical characteristics and body composition in normal-weight humans. (C) 13*P*

AUNIS Dominique *see* SONTAG Jean-Marie, SANDERSON Pamela, KLEPPER Michel, AUNIS Dominique, TAKEDA Kenneth & BADER Marie-France Modulation of secretion by dopamine involves decreases in calcium and nicotinic currents in bovine chromaffin cells. 495

BADER Marie-France *see* SONTAG Jean-Marie, SANDERSON Pamela, KLEPPER Michel, AUNIS Dominique, TAKEDA Kenneth & BADER Marie-France Modulation of secretion by dopamine involves decreases in calcium and nicotinic currents in bovine chromaffin cells. 495

BĄDZYŃSKA B., SADOWSKI J. & DOBROWOLSKI L. Atrial peptide natriuresis in the rat without genuine rise in filtration rate or wash-out of medullary electrolytes. 421

BAND D. *see* POPHAM P., BAND D. & LINTON R. Potassium infusions cause release of adrenaline in anaesthetized cats. (C) 43*P*

BAND D.M. *see* MCLOUGHLIN P., POPHAM P., BRUCE R.C.H., LINTON R.A.F. & BAND D.M. Plasma potassium and the ventilatory threshold in man. (C) 44*P*

BARRON M.E. *see* STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33*P*

BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

BASSEY E.J., DELBRIDGE A.T., HILLIER J.H. & HADLINGTON A.B. Use of an isokinetic dynamometer for studying controlled intermittent isotonic efforts in man. (D) 8*P*

BASSEY E.J., DELBRIDGE A.T. & HADLINGTON A.B. Force failure during repeated isotonic biceps contraction; relation with maximal contractile force in man. (C) 11*P*

BASSEY E.J., TAY G. & WEST F. A comparison between power output in a single leg extension and in weight-bearing activities of brief duration such as stair-running in man. (C) 12*P*

BAYLOR D.A. *see* SCHNAPF J.L., NUNN B.J., MEISTER M. & BAYLOR D.A. Visual transduction in cones of the monkey *Macaca fascicularis*. 681

BEFUS A.D. *see* DAVISON J.S., MATHISON R., WOOTTON Penny, RIMMER Carol & BEFUS A.D. Gastric acid secretion induced in anaphylaxis in *Nippostrongylus brasiliensis*-sensitized rats. (C) 27*P*

BELLUZZI O. *see* PICCOLINO M. & BELLUZZI O. Oscillatory potentials induced by steady peripheral illumination in horizontal cell axon terminals (HCATs) of the isolated *Pseudemys* turtle retina. (C) 52*P*

BENNETT G.W. *see* WATERFALL A.H., CLARKE R.W. & BENNETT G.W. The use of microdialysis with radioimmunoassay for the measurement of thyrotrophin-releasing hormone in rat brain *in vivo*. (D) 5*P*

BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

BENNETT T. *see* GARDINER S.M., COMPTON A.M., BENNETT T. & HARTLEY C.J. Modifications to a commercially available pulsed Doppler system to permit reliable detection of changes in cardiac output in conscious rats. (D) 3*P*

BENNETT T. *see* GARDINER S.M., COMPTON A.M., BENNETT T., PALMER R.M.J. & MONCADA S. Haemodynamic effects of L-nitroarginine methyl ester in conscious rats. (C) 32*P*

BENNETT T. *see* JANSSEN P., GARDINER S.M., COMPTON A.M. & BENNETT T. Influence of phentolamine and propranolol on the regional haemodynamic effects of bombesin in conscious, Long–Evans rats. 59*P*

BERRY Michael S. *see* WUTTKE Werner A. & BERRY Michael S. Rapid co-transport of sodium and chloride ions in giant salivary gland cells of the leech *Haementeria ghilianii*. 51

BERRY M.S. *see* WUTTKE W.A. & BERRY M.S. Sodium-dependent chloride accumulation in giant salivary gland cells of the leech, *Haementeria ghilianii*, studied with ion-selective microelectrodes. (C) 23*P*

BESSER G.M. *see* ANGELL-JAMES J.E., BESSER G.M., BOULOUX P., COLLIER D.J., GROSSMAN A. & MCMURRAY R.G. Naloxone infusion and carotid sinus baroreceptor reflex in resting man. (C) 37*P*

BIELEN Frieda V., BOSTEELS Suzanne & VERDONCK Fons Consequences of CO_2 acidosis for transmembrane Na^+ transport and membrane current in rabbit cardiac Purkinje fibres. 325

BIELLO S.M. *see* MASON R. & BIELLO S.M. Benzodiazepine-induced shifts in the circadian variation in discharge activity of Syrian hamster suprachiasmatic neurones *in vitro*. (C) 49*P*

BIRMINGHAM A.T. *see* SHORT A.H., MAWBY Janet M. & BIRMINGHAM A.T. Marshall Hall, FRS (1790–1857). (D) 4*P*

BIRMINGHAM A.T. *see* SIDERY M.B., MACDONALD I.A. & BIRMINGHAM A.T. A comparison of three indirect techniques for measuring blood pressure in man. (C) 38*P*

BOLTON T.B. *see* KOMORI S. & BOLTON T.B. Role of G-proteins in muscarinic receptor inward and outward currents in rabbit jejunal smooth muscle. 395

BONHAM A.C. & MCCRIMMON D.R. Neurones in a discrete region of the nucleus tractus solitarius are required for the Breuer–Hering reflex in rat. 261

BOOKCHIN Robert M. *see* ORTIZ Olga E., LEW Virgilio L. & BOOKCHIN Robert M. Deoxygenation permeabilizes sickle cell anaemia red cells to magnesium and reverses its gradient in the dense cells. 211

BOSTEELS Suzanne *see* BIELEN Frieda V., BOSTEELS Suzanne & VERDONCK Fons Consequences of CO_2 acidosis for transmembrane Na^+ transport and membrane current in rabbit cardiac Purkinje fibres. 325

BOULOUX P. *see* ANGELL-JAMES J.E., BESSER G.M., BOULOUX P., COLLIER D.J., GROSSMAN A. & MCMURRAY R.G. Naloxone infusion and carotid sinus baroreceptor reflex in resting man. (C) 37*P*

BOYD C.A.R. *see* SCAMANS E.M. & BOYD C.A.R. Simultaneous determination of transmembrane and transepithelial amino acid and sugar transport by epithelial cells cultured on a novel matrix. (C) 25*P*

BRANDAO M.L., REES H., WITT Sarah & ROBERTS M.H.T. Anterior pretectal nucleus stimulation attenuates the autonomic effects in anaesthetized rats and aversive effects in unanaesthetized rats of medial hypothalamic stimulation. (C) 48*P*

BROWN D., CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Brush-border membrane alkaline phosphatase activity in mouse Peyer's patch follicle-associated enterocytes. 81

BROWN M.D., CLEASBY M.J. & HUDLICKÁ O. Capillary supply of hypertrophied rat hearts after chronic treatment with the bradycardic agent alinidine. (C) 40*P*

BRUCE R.C.H. *see* MCLOUGHLIN P., POPHAM P., BRUCE R.C.H., LINTON R.A.F. & BAND D.M. Plasma potassium and the ventilatory threshold in man. (C) 44*P*

CAMPBELL J. *see* MILLER D.J., CAMPBELL J., O'DOWD J.J. & ROBINS D.J. Novel endogenous imidazoles calcium-sensitize chemically skinned rat heart muscle. (C) 54*P*

CAPIOD T., SANDFORD C., COMBETTES L., NOEL J., JENKINSON D.H. & CLARET M. Oscillations of Ca^{2+}-dependent K^+ permeability evoked by β-adrenoceptor agonists and cAMP in isolated guinea-pig liver cells. (C) 22*P*

CASTEELS Rik *see* MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

CHAPMAN R.A. *see* SULEIMAN M.S., RODRIGO Glenn C. & CHAPMAN R.A. Effect of hypothermia on Na influx during the Ca paradox in guinea-pig ventricular myocytes and isolated ventricular trabeculae of the ferret. (C) 53*P*

CLARET M. *see* CAPIOD T., SANDFORD C., COMBETTES L., NOEL J., JENKINSON D.H. & CLARET M. Oscillations of Ca^{2+}-dependent K^+ permeability evoked by β-adrenoceptor agonists and cAMP in isolated guinea-pig liver cells. (C) 22*P*

CLARK Robert B., TSE Amy & GILES W.R. Electrophysiology of parasympathetic neurones isolated from the interatrial septum of bull-frog heart. 89

CLARK Robert B. *see* TSE Amy, CLARK Robert B. & GILES W.R. Muscarinic modulation of calcium current in neurones from the interatrial septum of bull-frog heart. 127

CLARKE G., DAVISON I. & WAKERLEY J.B. Hypothalamic neuroendocrine neurones in the urethane-anaesthetized lactating rat respond to subcutaneous foot-shocks. (C) 17*P*

CLARKE R.W. *see* WATERFALL A.H., CLARKE R.W. & BENNETT G.W. The use of microdialysis with radioimmunoassay for the measurement of thyrotrophin-releasing hormone in rat brain *in vivo*. (D) 5*P*

CLEASBY M.J. *see* BROWN M.D., CLEASBY M.J. & HUDLICKÁ O. Capillary supply of hypertrophied rat hearts after chronic treatment with the bradycardic agent alinidine. (C) 40*P*

CLEMENT I.D. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

CODY Frederick W.J., SCHWARTZ Matthijs P. & SMIT Geert P. Proprioceptive guidance of human voluntary wrist movements studied using muscle vibration. 455

COLESHAW S.R.K., JOHNSTON G., MACDONALD A.G. & PERTWEE R.G. Effects of subanaesthetic doses of nitrous oxide on thermal perception in man. (C) 14*P*

COLLIER D.J. *see* ANGELL-JAMES J.E., BESSER G.M., BOULOUX P., COLLIER D.J., GROSSMAN A. & MCMURRAY R.G. Naloxone infusion and carotid sinus baroreceptor reflex in resting man. (C) 37*P*

COLLIS M.G. *see* POUCHER S.M., NOWELL C.G. & COLLIS M.G. The role of adenosine in exercise hyperaemia of the gracilis muscle in anaesthetized cats. 19

COLQUHOUN David *see* MATHIE Alistair, COLQUHOUN David & CULL-CANDY Stuart G. Rectification of currents activated by nicotinic acetylcholine receptors in rat sympathetic ganglion neurones. 625

COMBETTES L. *see* CAPIOD T., SANDFORD C., COMBETTES L., NOEL J., JENKINSON D.H. & CLARET M. Oscillations of Ca^{2+}-dependent K^+ permeability evoked by β-adrenoceptor agonists and cAMP in isolated guinea-pig liver cells. (C) 22*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

COMPTON A.M. *see* GARDINER S.M., COMPTON A.M., BENNETT T. & HARTLEY C.J. Modifications to a commercially available pulsed Doppler system to permit reliable detection of changes in cardiac output in conscious rats. (D) 3*P*

COMPTON A.M. *see* GARDINER S.M., COMPTON A.M., BENNETT T., PALMER R.M.J. & MONCADA S. Haemodynamic effects of L-nitroarginine methyl ester in conscious rats. (C) 32*P*

COMPTON A.M. *see* JANSSEN P., GARDINER S.M., COMPTON A.M. & BENNETT T. Influence of phentolamine and propranolol on the regional haemodynamic effects of bombesin in conscious, Long–Evans rats. 59*P*

CONWAY J. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

COWLEY A.J. *see* MULLER A.F., STAINER K., FULLWOOD L., HAWKINS M. & COWLEY A.J. The regional haemodynamic effects of food in normal volunteers. (C) 35*P*

CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Chloride conductance and intracellular chloride accumulation in mouse Peyer's patch enterocytes. 71

CREMASCHI D. *see* BROWN D., CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Brush-border membrane alkaline phosphatase activity in mouse Peyer's patch follicle-associated enterocytes. 81

CREPEL F. *see* HIRSCH J.C. & CREPEL F. Use-dependent changes in synaptic efficacy in rat prefrontal neurons *in vitro*. 31

CRESPI F. & MARSDEN C.A. Measurement of physiological electroactive compounds using carbon-fibre microelectrodes combined with differential pulse voltammetry. (D) 6*P*

CULL-CANDY Stuart G. *see* MATHIE Alistair, COLQUHOUN David & CULL-CANDY Stuart G. Rectification of currents activated by nicotinic acetylcholine receptors in rat sympathetic ganglion neurones. 625

CURTIS John C. *see* APPENTENG Kwabena, CURTIS John C. & MOORE Jane A. Unitary monosynaptic EPSPs elicited by V interneurones in V motoneurones of anaesthetized rats. (C) 46*P*

DALY C. *see* MELVILLE C.A., TRAINOR M., MCGRATH J.C., DALY C., O'DOWD J.J. & MILLER D.J. Carnosine shows α-adrenoceptor agonist and antagonist properties in saphenous vein isolated from rabbit. (C) 29*P*

DASHWOOD M.R., SYKES R.M. & YACOUB M.H. [^{125}I] endothelin binding sites on human coronary tissue. (C) 28*P*

DAVISON I. *see* CLARKE G., DAVISON I. & WAKERLEY J.B. Hypothalamic neuroendocrine neurones in the urethane-anaesthetized lactating rat respond to subcutaneous foot-shocks. (C) 17*P*

DAVISON J.S., MATHISON R., WOOTTON Penny, RIMMER Carol & BEFUS A.D. Gastric acid secretion induced in anaphylaxis in *Nippostrongylus brasiliensis*-sensitized rats. (C) 27*P*

DECLERCK Ingrid *see* MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

DE CORT S.C., INNES J.A. & GUZ A. Cardiac output, oxygen consumption and arteriovenous oxygen difference following a sudden increase in exercise workload in man. (C) 39*P*

DELBRIDGE A.T. *see* BASSEY E.J., DELBRIDGE A.T., HILLIER J.H. & HADLINGTON A.B. Use of an isokinetic dynamometer for studying controlled intermittent isotonic efforts in man. (D) 8*P*

DELBRIDGE A.T. *see* BASSEY E.J., DELBRIDGE A.T. & HADLINGTON A.B. Force failure during repeated isotonic biceps contraction; relation with maximal contractile force in man. (C) 11*P*

DEMAINE C., FORSLING Mary L., KELESTIMUR H. & STOUGHTON R.P. Effect of pinealectomy on the vasopressin response to altered plasma volume and osmolality in the rat. (C) 19*P*

DE SMEDT Humbert *see* MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

DOBROWOLSKI L. *see* BĄDZYŃSKA B., SADOWSKI J. & DOBROWOLSKI L. Atrial peptide natriuresis in the rat without genuine rise in filtration rate or wash-out of medullary electrolytes. 421

DORRINGTON K.L. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

DREWS H. *see* RÜEGG D.G., KRAUER R. & DREWS H. Superposition of H reflexes on steady contractions in man. 1

DRODGE K.H. & SCOTT T.M. *In vivo* and *in vitro* capsaicin treatment reduces endothelium-dependent vascular relaxation to acetylcholine in the rat. (C) 31*P*

DROOGMANS Guy *see* MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

DUDEK F.E. *see* DYBALL R.E.J., TASKER J.G., WUARIN J.-P. & DUDEK F.E. Intracellular recording from rat supraoptic magnocellular cells *in vivo*. (C) 18*P*

DUNN W.R., MCGRATH J.C. & WILSON V.G. Activation of post-junctional α_2-adrenoceptors in the rabbit isolated saphenous vein is linked to the opening of dihydropyridine-insensitive calcium channels. (C) 30*P*

DYBALL R.E.J., TASKER J.G., WUARIN J.-P. & DUDEK F.E. Intracellular recording from rat supraoptic magnocellular cells *in vivo*. (C) 18*P*

FALL Magnus, LINDSTRÖM Sivert & MAZIÈRES Leonor A bladder-to-bladder cooling reflex in the cat. 281

FARQUHAR I. *see* RAHMAN M.A. & FARQUHAR I. Ethnic differences in cardiovascular reflex responses in Bangladeshi and European subjects. (C) 36*P*

FLEET I.R. *see* MEPHAM T.B., PROSSER C.G., ROYLE C., SILVESTER L.M., AL-SHAIKH M.A. & FLEET I.R. The galactopoietic response to exogenous growth hormone in ruminants is associated with raised milk glucose concentration. (C) 21*P*

FORSLING Mary L. *see* WELLS T., FORSLING Mary L. & WINDLE R.J. The vasopressin response to centrally administered hypertonic solutions in the conscious rat. 483

FORSLING Mary L. *see* DEMAINE C., FORSLING Mary L., KELESTIMUR H. & STOUGHTON R.P. Effect of pinealectomy on the vasopressin response to altered plasma volume and osmolality in the rat. (C) 19*P*

FORSLING Mary L. *see* WINDLE R.J. & FORSLING Mary L. Contribution of hyperosmotic and hypovolaemic stimuli to the observed elevation of oxytocin and vasopressin concentrations in the dehydrated rat. (C) 20*P*

FRANCO Alfredo JR & LANSMAN Jeffry B. Stretch-sensitive channels in developing muscle cells from a mouse cell line. 361

FULLWOOD L. *see* MULLER A.F., STAINER K., FULLWOOD L., HAWKINS M. & COWLEY A.J. The regional haemodynamic effects of food in normal volunteers. (C) 35*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

GARDINER S.M., COMPTON A.M., BENNETT T. & HARTLEY C.J. Modifications to a commercially available pulsed Doppler system to permit reliable detection of changes in cardiac output in conscious rats. (D) 3*P*

GARDINER S.M., COMPTON A.M., BENNETT T., PALMER R.M.J. & MONCADA S. Haemodynamic effects of L-nitroarginine methyl ester in conscious rats. (C) 32*P*

GARDINER S.M. *see* JANSSEN P., GARDINER S.M., COMPTON A.M. & BENNETT T. Influence of phentolamine and propranolol on the regional haemodynamic effects of bombesin in conscious, Long–Evans rats. 59*P*

GATES H.-J. The importance of competition in synapse withdrawal from mismatching fibres in developing rat lumbrical muscle. (C) 10*P*

GIELEN J. *see* BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

GILES W.R. *see* CLARK Robert B., TSE Amy & GILES W.R. Electrophysiology of parasympathetic neurones isolated from the interatrial septum of bull-frog heart. 89

GILES W.R. *see* TSE Amy, CLARK Robert B. & GILES W.R. Muscarinic modulation of calcium current in neurones from the interatrial septum of bull-frog heart. 127

GOLDSMITH G.E. *see* PATON J.F.R., SILVA-CARVALHO L., GOLDSMITH G.E. & SPYER K.M. Inhibition of barosensitive neurones evoked by lobule IX b of the posterior cerebellar cortex in the decerebrate rabbit. 553

GREEN R. *see* ASHTON N., ARGENT B.E. & GREEN R. Effect of vasoactive intestinal peptide, bombesin and substance P on fluid secretion by isolated rat pancreatic ducts. 471

GROSSMAN A. *see* ANGELL-JAMES J.E., BESSER G.M., BOULOUX P., COLLIER D.J., GROSSMAN A. & MCMURRAY R.G. Naloxone infusion and carotid sinus baroreceptor reflex in resting man. (C) 37*P*

GUERNÉ Y. *see* INGRAM C.D., MOOS F., WAKERLEY J.B., GUERNÉ Y. & RICHARD Ph. Microinjections of oxytocin (OT) into bed nucleus of the stria terminalis (BNST) and lateral septum (LS) facilitate the milk-ejection reflex in anaesthetized, suckled rats. (C) 16*P*

GUZ A. *see* DE CORT S.C., INNES J.A. & GUZ A. Cardiac output, oxygen consumption and arteriovenous oxygen difference following a sudden increase in exercise workload in man. (C) 39*P*

HADLINGTON A.B. *see* BASSEY E.J., DELBRIDGE A.T., HILLIER J.H. & HADLINGTON A.B. Use of an isokinetic dynamometer for studying controlled intermittent isotonic efforts in man. (D) 8*P*

HADLINGTON A.B. *see* BASSEY E.J., DELBRIDGE A.T. & HADLINGTON A.B. Force failure during repeated isotonic biceps contraction; relation with maximal contractile force in man. (C) 11*P*

HARTLEY C.J. *see* GARDINER S.M., COMPTON A.M., BENNETT T. & HARTLEY C.J. Modifications to a commercially available pulsed Doppler system to permit reliable detection of changes in cardiac output in conscious rats. (D) 3*P*

HAWKINS M. *see* MULLER A.F., STAINER K., FULLWOOD L., HAWKINS M. & COWLEY A.J. The regional haemodynamic effects of food in normal volunteers. (C) 35*P*

HESPEL P. & RICHTER E.A. Glucose uptake and transport in contracting, perfused rat muscle with different pre-contraction glycogen concentrations. 347

HILLIER J.H. *see* BASSEY E.J., DELBRIDGE A.T., HILLIER J.H. & HADLINGTON A.B. Use of an isokinetic dynamometer for studying controlled intermittent isotonic efforts in man. (D) 8*P*

HIRSCH J.C. & CREPEL F. Use-dependent changes in synaptic efficacy in rat prefrontal neurons *in vitro*. 31

HUDLICKÁ O. *see* BROWN M.D., CLEASBY M.J. & HUDLICKÁ O. Capillary supply of hypertrophied rat hearts after chronic treatment with the bradycardic agent alinidine. (C) 40*P*

IMAIZUMI Yuji, MURAKI Katsuhiko & WATANABE Minoru Characteristics of transient outward current in single smooth muscle cells from the ureter of the guinea-pig. 301

INGRAM C.D., MOOS F., WAKERLEY J.B., GUERNÉ Y. & RICHARD Ph. Microinjections of oxytocin (OT) into bed nucleus of the stria terminalis (BNST) and lateral septum (LS) facilitate the milk-ejection reflex in anaesthetized, suckled rats. (C) 16*P*

INNES J.A. *see* DE CORT S.C., INNES J.A. & GUZ A. Cardiac output, oxygen consumption and arteriovenous oxygen difference following a sudden increase in exercise workload in man. (C) 39*P*

ISAKSSON B. *see* ASTRUP A.V., THORBEK G., LIND J. & ISAKSSON B. Prediction of 24 h energy expenditure and its components from physical characteristics and body composition in normal-weight humans. (C) 13*P*

JAMES P.S. *see* CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Chloride conductance and intracellular chloride accumulation in mouse Peyer's patch enterocytes. 71

JAMES P.S. *see* BROWN D., CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Brush-border membrane alkaline phosphatase activity in mouse Peyer's patch follicle-associated enterocytes. 81

JANSSEN P., GARDINER S.M., COMPTON A.M. & BENNETT T. Influence of phentolamine and propranolol on the regional haemodynamic effects of bombesin in conscious, Long–Evans rats. 59*P*

JENKINSON D.H. *see* CAPIOD T., SANDFORD C., COMBETTES L., NOEL J., JENKINSON D.H. & CLARET M. Oscillations of Ca^{2+}-dependent K^+ permeability evoked by β-adrenoceptor agonists and cAMP in isolated guinea-pig liver cells. (C) 22*P*

JOHNSTON G. *see* COLESHAW S.R.K., JOHNSTON G., MACDONALD A.G. & PERTWEE R.G. Effects of subanaesthetic doses of nitrous oxide on thermal perception in man. (C) 14*P*

JULU P.O.O. & MUTAMBA A. Essential fatty acids (EFAs) correct slowed nerve conduction velocity (CV) faster than insulin in anaesthetized rats having streptozotocin (STZ) diabetes. (C) 51*P*

KAILA K., SAARIKOSKI J. & VOIPIO J. Mechanism of action of GABA on intracellular pH and on surface pH in crayfish muscle fibres. 241

KARIM F. & AL-OBAIDI M. The influence of left atrial receptors on reflex renal responses to stimulation of the carotid chemoreceptors in anaesthetized dogs. (C) 42*P*

KELESTIMUR H. *see* DEMAINE C., FORSLING Mary L., KELESTIMUR H. & STOUGHTON R.P. Effect of pinealectomy on the vasopressin response to altered plasma volume and osmolality in the rat. (C) 19*P*

KEMP P.A. *see* BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

KLEPPER Michel *see* SONTAG Jean-Marie, SANDERSON Pamela, KLEPPER Michel, AUNIS Dominique, TAKEDA Kenneth & BADER Marie-France Modulation of secretion by dopamine involves decreases in calcium and nicotinic currents in bovine chromaffin cells. 495

KOMORI S. & BOLTON T.B. Role of G-proteins in muscarinic receptor inward and outward currents in rabbit jejunal smooth muscle. 395

KRAUER R. *see* RÜEGG D.G., KRAUER R. & DREWS H. Superposition of H reflexes on steady contractions in man. 1

LANSMAN Jeffry B. *see* FRANCO Alfredo JR & LANSMAN Jeffry B. Stretch-sensitive channels in developing muscle cells from a mouse cell line. 361

LEA T.J. & ASHLEY C.C. Ca^{2+} release from the sarcoplasmic reticulum of barnacle myofibrillar bundles initiated by photolysis of caged Ca^{2+}. 435

LEVIN R.J. & YOUNG A. The effects of *E. coli* STa on intestinal fluid transport in anaesthetized fed and starved rats *in vivo*. (C) 26*P*

LEW Virgilio L. *see* ORTIZ Olga E., LEW Virgilio L. & BOOKCHIN Robert M. Deoxygenation permeabilizes sickle cell anaemia red cells to magnesium and reverses its gradient in the dense cells. 211

LIND J. *see* ASTRUP A.V., THORBEK G., LIND J. & ISAKSSON B. Prediction of 24 h energy expenditure and its components from physical characteristics and body composition in normal-weight humans. (C) 13*P*

LINDSTRÖM Sivert *see* FALL Magnus, LINDSTRÖM Sivert & MAZIÈRES Leonor A bladder-to-bladder cooling reflex in the cat. 281

LINTON R. *see* POPHAM P., BAND D. & LINTON R. Potassium infusions cause release of adrenaline in anaesthetized cats. (C) 43*P*

LINTON R.A.F. *see* MCLOUGHLIN P., POPHAM P., BRUCE R.C.H., LINTON R.A.F. & BAND D.M. Plasma potassium and the ventilatory threshold in man. (C) 44*P*

LOVICK A.H.J. *see* STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33*P*

LÜTTGAU H.Ch. *see* NEUHAUS R., ROSENTHAL Rita & LÜTTGAU H.Ch. The effects of dihydropyridine derivatives on force and Ca^{2+} current in frog skeletal muscle fibres. 187

MCCRIMMON D.R. *see* BONHAM A.C. & MCCRIMMON D.R. Neurones in a discrete region of the nucleus tractus solitarius are required for the Breuer–Hering reflex in rat. 261

MACDONALD A.G. *see* COLESHAW S.R.K., JOHNSTON G., MACDONALD A.G. & PERTWEE R.G. Effects of subanaesthetic doses of nitrous oxide on thermal perception in man. (C) 14*P*

MACDONALD I.A. *see* SIYAMAK A.Y. & MACDONALD I.A. An open-circuit technique for measuring metabolic rate in the rat. (D) 7*P*

MACDONALD I.A. *see* SIYAMAK A.Y. & MACDONALD I.A. The effect of diet composition on noradrenaline-induced thermogenesis in underfed rats. (C) 15*P*

MACDONALD I.A. *see* SIDERY M.B., MACDONALD I.A. & BIRMINGHAM A.T. A comparison of three indirect techniques for measuring blood pressure in man. (C) 38*P*

MCGRATH J.C. *see* MELVILLE C.A., TRAINOR M., MCGRATH J.C., DALY C., O'DOWD J.J. & MILLER D.J. Carnosine shows α-adrenoceptor agonist and antagonist properties in saphenous vein isolated from rabbit. (C) 29*P*

MCGRATH J.C. *see* DUNN W.R., MCGRATH J.C. & WILSON V.G. Activation of post-junctional α_2-adrenoceptors in the rabbit isolated saphenous vein is linked to the opening of dihydropyridine-insensitive calcium channels. (C) 30*P*

MCLOUGHLIN P., POPHAM P., BRUCE R.C.H., LINTON R.A.F. & BAND D.M. Plasma potassium and the ventilatory threshold in man. (C) 44*P*

MCMURRAY R.G. *see* ANGELL-JAMES J.E., BESSER G.M., BOULOUX P., COLLIER D.J., GROSSMAN A. & MCMURRAY R.G. Naloxone infusion and carotid sinus baroreceptor reflex in resting man. (C) 37*P*

MCWILLIAM T.M. *see* RANKIN A.J., MCWILLIAM T.M., SWIFT F.V. & TRIGGLE C.R. *In vitro* desensitization of the vasorelaxant effects of atrial natriuretic factor on the rat aortic ring preparation. 60*P*

MĂRGINEANU Doru-Georg & VAN DRIESSCHE Willy Effects of millimolar concentrations of glutaraldehyde on the electrical properties of frog skin. 567

MARKRAM H. & SEGAL M. Long-lasting facilitation of excitatory postsynaptic potentials in the rat hippocampus by acetylcholine. 381

MARSDEN C.A. *see* CRESPI F. & MARSDEN C.A. Measurement of physiological electroactive compounds using carbon-fibre microelectrodes combined with differential pulse voltammetry. (D) 6*P*

MARTIN J., NELSON R.J., PERRY S. & PICKARD J.D. The cerebrovascular and cardiovascular effects of calcitonin gene-related peptide (CGRP) in the anaesthetized rabbit. (C) 34*P*

MARTIN J.L. *see* STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33*P*

MASON R. & BIELLO S.M. Benzodiazepine-induced shifts in the circadian variation in discharge activity of Syrian hamster suprachiasmatic neurones *in vitro*. (C) 49*P*

MASON R. The effects of continuous light and lesions on the circadian variation in neuronal discharge activity of Syrian hamster suprachiasmatic neurones *in vitro*. (C) 50*P*

MATHIE Alistair, COLQUHOUN David & CULL-CANDY Stuart G. Rectification of currents activated by nicotinic acetylcholine receptors in rat sympathetic ganglion neurones. 625

MATHISON R. *see* DAVISON J.S., MATHISON R., WOOTTON Penny, RIMMER Carol & BEFUS A.D. Gastric acid secretion induced in anaphylaxis in *Nippostrongylus brasiliensis*-sensitized rats. (C) 27*P*

MATSUDA J.J., VOLK K.A. & SHIBATA E.F. Calcium currents in isolated rabbit coronary arterial smooth muscle myocytes. 657

MAWBY Janet M. *see* SHORT A.H., MAWBY Janet M. & BIRMINGHAM A.T. Marshall Hall, FRS (1790–1857). (D) 4*P*

MAZIÈRES Leonor *see* FALL Magnus, LINDSTRÖM Sivert & MAZIÈRES Leonor A bladder-to-bladder cooling reflex in the cat. 281

MEISTER M. *see* SCHNAPF J.L., NUNN B.J., MEISTER M. & BAYLOR D.A. Visual transduction in cones of the monkey *Macaca fascicularis*. 681

MELVILLE C.A., TRAINOR M., MCGRATH J.C., DALY C., O'DOWD J.J. & MILLER D.J. Carnosine shows α-adrenoceptor agonist and antagonist properties in saphenous vein isolated from rabbit. (C) 29*P*

MEPHAM T.B., PROSSER C.G., ROYLE C., SILVESTER L.M., AL-SHAIKH M.A. & FLEET I.R. The galactopoietic response to exogenous growth hormone in ruminants is associated with raised milk glucose concentration. (C) 21*P*

MILLER D.J. *see* MELVILLE C.A., TRAINOR M., MCGRATH J.C., DALY C., O'DOWD J.J. & MILLER D.J. Carnosine shows α-adrenoceptor agonist and antagonist properties in saphenous vein isolated from rabbit. (C) 29*P*

MILLER D.J., CAMPBELL J., O'DOWD J.J. & ROBINS D.J. Novel endogenous imidazoles calcium-sensitize chemically skinned rat heart muscle. (C) 54P

MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

MONCADA S. *see* GARDINER S.M., COMPTON A.M., BENNETT T., PALMER R.M.J. & MONCADA S. Haemodynamic effects of L-nitroarginine methyl ester in conscious rats. (C) 32P

MOORE Jane A. *see* APPENTENG Kwabena, CURTIS John C. & MOORE Jane A. Unitary monosynaptic EPSPs elicited by V interneurones in V motoneurones of anaesthetized rats. (C) 46P

MOOS F. *see* INGRAM C.D., MOOS F., WAKERLEY J.B., GUERNÉ Y. & RICHARD Ph. Microinjections of oxytocin (OT) into bed nucleus of the stria terminalis (BNST) and lateral septum (LS) facilitate the milk-ejection reflex in anaesthetized, suckled rats. (C) 16P

MORIMOTO Akio, MURAKAMI Naotoshi, SAKATA Yoshiyuki, WATANABE Tatsuo & YAMAGUCHI Kazuhito Functional and structural differences in febrile mechanism between rabbits and rats. 227

MULLER A.F., STAINER K., FULLWOOD L., HAWKINS M. & COWLEY A.J. The regional haemodynamic effects of food in normal volunteers. (C) 35P

MURAKAMI Naotoshi *see* MORIMOTO Akio, MURAKAMI Naotoshi, SAKATA Yoshiyuki, WATANABE Tatsuo & YAMAGUCHI Kazuhito Functional and structural differences in febrile mechanism between rabbits and rats. 227

MURAKI Katsuhiko *see* IMAIZUMI Yuji, MURAKI Katsuhiko & WATANABE Minoru Characteristics of transient outward current in single smooth muscle cells from the ureter of the guinea-pig. 301

MUTAMBA A. *see* JULU P.O.O. & MUTAMBA A. Essential fatty acids (EFAs) correct slowed nerve conduction velocity (CV) faster than insulin in anaesthetized rats having streptozotocin (STZ) diabetes. (C) 51P

NELSON R.J. *see* STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33P

NELSON R.J. *see* MARTIN J., NELSON R.J., PERRY S. & PICKARD J.D. The cerebrovascular and cardiovascular effects of calcitonin gene-related peptide (CGRP) in the anaesthetized rabbit. (C) 34P

NEUHAUS R., ROSENTHAL Rita & LÜTTGAU H.Ch. The effects of dihydropyridine derivatives on force and Ca^{2+} current in frog skeletal muscle fibres. 187

NOEL J. *see* CAPIOD T., SANDFORD C., COMBETTES L., NOEL J., JENKINSON D.H. & CLARET M. Oscillations of Ca^{2+}-dependent K^+ permeability evoked by β-adrenoceptor agonists and cAMP in isolated guinea-pig liver cells. (C) 22P

NOWELL C.G. *see* POUCHER S.M., NOWELL C.G. & COLLIS M.G. The role of adenosine in exercise hyperaemia of the gracilis muscle in anaesthetized cats. 19

NUNN B.J. *see* SCHNAPF J.L., NUNN B.J., MEISTER M. & BAYLOR D.A. Visual transduction in cones of the monkey *Macaca fascicularis*. 681

O'CONNOR D.F. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45P

O'DOWD J.J. *see* MELVILLE C.A., TRAINOR M., MCGRATH J.C., DALY C., O'DOWD J.J. & MILLER D.J. Carnosine shows α-adrenoceptor agonist and antagonist properties in saphenous vein isolated from rabbit. (C) 29P

O'DOWD J.J. *see* MILLER D.J., CAMPBELL J., O'DOWD J.J. & ROBINS D.J. Novel endogenous imidazoles calcium-sensitize chemically skinned rat heart muscle. (C) 54P

OKADO Haruo & TAKAHASHI Kunitaro Differentiation of membrane excitability in isolated cleavage-arrested blastomeres from early ascidian embryos. 583

OKADO Haruo & TAKAHASHI Kunitaro Induced neural-type differentiation in the cleavage-arrested blastomere isolated from early ascidian embryos. 603

ORTIZ Olga E., LEW Virgilio L. & BOOKCHIN Robert M. Deoxygenation permeabilizes sickle cell anaemia red cells to magnesium and reverses its gradient in the dense cells. 211

OSBORNE P.B. *see* PAN Z.Z., WILLIAMS J.T. & OSBORNE P.B. Opioid actions on single nucleus raphe magnus neurons from rat and guinea-pig *in vitro*. 519

PACKARD A. Advantages (and disadvantages) of octopus skin for smooth muscle physiology : a protocol for visual recording *in vivo*. (C) 57P

PACKARD A. Four-dimensional analysis of patterned activity in a complex smooth muscle system: octopus skin. (C) 58*P*

PAINTER R. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

PALMER R.M.J. *see* GARDINER S.M., COMPTON A.M., BENNETT T., PALMER R.M.J. & MONCADA S. Haemodynamic effects of L-nitroarginine methyl ester in conscious rats. (C) 32*P*

PAN Z.Z., WILLIAMS J.T. & OSBORNE P.B. Opioid actions on single nucleus raphe magnus neurons from rat and guinea-pig *in vitro*. 519

PATERSON D.J. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

PATON J.F.R., SILVA-CARVALHO L., GOLDSMITH G.E. & SPYER K.M. Inhibition of barosensitive neurones evoked by lobule IXb of the posterior cerebellar cortex in the decerebrate rabbit. 553

PATON Julian F.R. & SPYER K. Michael Brain stem regions mediating the cardiovascular responses elicited from the posterior cerebellar cortex in the rabbit. 533

PERRY S. *see* MARTIN J., NELSON R.J., PERRY S. & PICKARD J.D. The cerebrovascular and cardiovascular effects of calcitonin gene-related peptide (CGRP) in the anaesthetized rabbit. (C) 34*P*

PERTWEE R.G. *see* COLESHAW S.R.K., JOHNSTON G., MACDONALD A.G. & PERTWEE R.G. Effects of subanaesthetic doses of nitrous oxide on thermal perception in man. (C) 14*P*

PICCOLINO M. & BELLUZZI O. Oscillatory potentials induced by steady peripheral illumination in horizontal cell axon terminals (HCATs) of the isolated *Pseudemys* turtle retina. (C) 52*P*

PICKARD J.D. *see* STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33*P*

PICKARD J.D. *see* MARTIN J., NELSON R.J., PERRY S. & PICKARD J.D. The cerebrovascular and cardiovascular effects of calcitonin gene-related peptide (CGRP) in the anaesthetized rabbit. (C) 34*P*

PLESSERS Lutgart *see* MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

POPHAM P., BAND D. & LINTON R. Potassium infusions cause release of adrenaline in anaesthetized cats. (C) 43*P*

POPHAM P. *see* MCLOUGHLIN P., POPHAM P., BRUCE R.C.H., LINTON R.A.F. & BAND D.M. Plasma potassium and the ventilatory threshold in man. (C) 44*P*

POUCHER S.M., NOWELL C.G. & COLLIS M.G. The role of adenosine in exercise hyperaemia of the gracilis muscle in anaesthetized cats. 19

POUCHER S.M. The role of local metabolites in vasodilatation during hindlimb exercise of the anaesthetized cat. (C) 41*P*

PROSSER C.G. *see* MEPHAM T.B., PROSSER C.G., ROYLE C., SILVESTER L.M., AL-SHAIKH M.A. & FLEET I.R. The galactopoietic response to exogenous growth hormone in ruminants is associated with raised milk glucose concentration. (C) 21*P*

PUTNAM R.W. Localization of pH-regulating transport systems to the surface membrane of semitendinosus muscle isolated from the frog, *Rana pipiens*. (C) 56*P*

RAEYMAEKERS Luc *see* MISSIAEN Ludwig, DECLERCK Ingrid, DROOGMANS Guy, PLESSERS Lutgart, DE SMEDT Humbert, RAEYMAEKERS Luc & CASTEELS Rik Agonist-dependent Ca^{2+} and Mn^{2+} entry dependent on state of filling of Ca^{2+} stores in aortic smooth muscle cells of the rat. 171

RAHMAN M.A. & FARQUHAR I. Ethnic differences in cardiovascular reflex responses in Bangladeshi and European subjects. (C) 36*P*

RANKIN A.J., MCWILLIAM T.M., SWIFT F.V. & TRIGGLE C.R. *In vitro* desensitization of the vasorelaxant effects of atrial natriuretic factor on the rat aortic ring preparation. 60*P*

REES H. *see* BRANDAO M.L., REES H., WITT Sarah & ROBERTS M.H.T. Anterior pretectal nucleus stimulation attenuates the autonomic effects in anaesthetized rats and aversive effects in unanaesthetized rats of medial hypothalamic stimulation. (C) 48*P*

RICHARD Ph. *see* INGRAM C.D., MOOS F., WAKERLEY J.B., GUERNÉ Y. & RICHARD Ph. Microinjections of oxytocin (OT) into bed nucleus of the stria terminalis (BNST) and lateral septum (LS) facilitate the milk-ejection reflex in anaesthetized, suckled rats. (C) 16*P*

RICHARDS H.K. *see* STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33*P*

RICHTER E.A. *see* HESPEL P. & RICHTER E.A. Glucose uptake and transport in contracting, perfused rat muscle with different pre-contraction glycogen concentrations. 347

RIMMER Carol *see* DAVISON J.S., MATHISON R., WOOTTON Penny, RIMMER Carol & BEFUS A.D. Gastric acid secretion induced in anaphylaxis in *Nippostrongylus brasiliensis*-sensitized rats. (C) 27*P*

ROBBINS P.A. *see* BASCOM D.A., CLEMENT I.D., CONWAY J., DORRINGTON K.L., O'CONNOR D.F., PAINTER R., PATERSON D.J. & ROBBINS P.A. A comparison of euoxic and hypoxic ventilatory responses to acute metabolic acidosis with the responses to CO_2 inhalation in man. (C) 45*P*

ROBERTS M.H.T. *see* SIZER A.R. & ROBERTS M.H.T. Bicuculline-evoked epileptiform discharge is depressed by 5-hydroxytryptamine in rat entorhinal cortex *in vitro*. (C) 47*P*

ROBERTS M.H.T. *see* BRANDAO M.L., REES H., WITT Sarah & ROBERTS M.H.T. Anterior pretectal nucleus stimulation attenuates the autonomic effects in anaesthetized rats and aversive effects in unanaesthetized rats of medial hypothalamic stimulation. (C) 48*P*

ROBINS D.J. *see* MILLER D.J., CAMPBELL J., O'DOWD J.J. & ROBINS D.J. Novel endogenous imidazoles calcium-sensitize chemically skinned rat heart muscle. (C) 54*P*

RODRIGO Glenn C. *see* SULEIMAN M.S., RODRIGO Glenn C. & CHAPMAN R.A. Effect of hypothermia on Na influx during the Ca paradox in guinea-pig ventricular myocytes and isolated ventricular trabeculae of the ferret. (C) 53*P*

ROME Lawrence C. & SOSNICKI Andrzej A. The influence of temperature on mechanics of red muscle in carp. 151

ROSENTHAL Rita *see* NEUHAUS R., ROSENTHAL Rita & LÜTTGAU H.Ch. The effects of dihydropyridine derivatives on force and Ca^{2+} current in frog skeletal muscle fibres. 187

ROSSETTI C. *see* CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Chloride conductance and intracellular chloride accumulation in mouse Peyer's patch enterocytes. 71

ROSSETTI C. *see* BROWN D., CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Brush-border membrane alkaline phosphatase activity in mouse Peyer's patch follicle-associated enterocytes. 81

ROYLE C. *see* MEPHAM T.B., PROSSER C.G., ROYLE C., SILVESTER L.M., AL-SHAIKH M.A. & FLEET I.R. The galactopoietic response to exogenous growth hormone in ruminants is associated with raised milk glucose concentration. (C) 21*P*

RÜEGG D.G., KRAUER R. & DREWS H. Superposition of H reflexes on steady contractions in man. 1

SAARIKOSKI J. *see* KAILA K., SAARIKOSKI J. & VOIPIO J. Mechanism of action of GABA on intracellular pH and on surface pH in crayfish muscle fibres. 241

SADOWSKI J. *see* BĄDZYŃSKA B., SADOWSKI J. & DOBROWOLSKI L. Atrial peptide natriuresis in the rat without genuine rise in filtration rate or wash-out of medullary electrolytes. 421

SAKATA Yoshiyuki *see* MORIMOTO Akio, MURAKAMI Naotoshi, SAKATA Yoshiyuki, WATANABE Tatsuo & YAMAGUCHI Kazuhito Functional and structural differences in febrile mechanism between rabbits and rats. 227

SANDERSON Pamela *see* SONTAG Jean-Marie, SANDERSON Pamela, KLEPPER Michel, AUNIS Dominique, TAKEDA Kenneth & BADER Marie-France Modulation of secretion by dopamine involves decreases in calcium and nicotinic currents in bovine chromaffin cells. 495

SANDFORD C. *see* CAPIOD T., SANDFORD C., COMBETTES L., NOEL J., JENKINSON D.H. & CLARET M. Oscillations of Ca^{2+}-dependent K^+ permeability evoked by β-adrenoceptor agonists and cAMP in isolated guinea-pig liver cells. (C) 22*P*

SCAMANS E.M. & BOYD C.A.R. Simultaneous determination of transmembrane and transepithelial amino acid and sugar transport by epithelial cells cultured on a novel matrix. (C) 25*P*

SCHNAPF J.L., NUNN B.J., MEISTER M. & BAYLOR D.A. Visual transduction in cones of the monkey *Macaca fascicularis*. 681

SCHOEMAKER R. *see* BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

SCHWARTZ Matthijs P. *see* CODY Frederick W.J., SCHWARTZ Matthijs P. & SMIT Geert P. Proprioceptive guidance of human voluntary wrist movements studied using muscle vibration. 455

THE SCIENTIFIC ADVISORY BOARD OF THE NATIONAL FITNESS SURVEY. A national survey of exercise, fitness and health. (D) (T) 9*P*

SCOTT T.M. *see* DRODGE K.H. & SCOTT T.M. *In vivo* and *in vitro* capsaicin treatment reduces endothelium-dependent vascular relaxation to acetylcholine in the rat. (C) 31*P*

SEGAL M. *see* MARKRAM H. & SEGAL M. Long-lasting facilitation of excitatory postsynaptic potentials in the rat hippocampus by acetylcholine. 381

SHIBATA E.F. *see* MATSUDA J.J., VOLK K.A. & SHIBATA E.F. Calcium currents in isolated rabbit coronary arterial smooth muscle myocytes. 657

SHORT A.H., MAWBY Janet M. & BIRMINGHAM A.T. Marshall Hall, FRS (1790–1857). (D) 4*P*

SIDERY M.B., MACDONALD I.A. & BIRMINGHAM A.T. A comparison of three indirect techniques for measuring blood pressure in man. (C) 38*P*

SILVA-CARVALHO L. *see* PATON J.F.R., SILVA-CARVALHO L., GOLDSMITH G.E. & SPYER K.M. Inhibition of barosensitive neurones evoked by lobule IX b of the posterior cerebellar cortex in the decerebrate rabbit. 553

SILVESTER L.M. *see* MEPHAM T.B., PROSSER C.G., ROYLE C., SILVESTER L.M., AL-SHAIKH M.A. & FLEET I.R. The galactopoietic response to exogenous growth hormone in ruminants is associated with raised milk glucose concentration. (C) 21*P*

SIYAMAK A.Y. & MACDONALD I.A. An open-circuit technique for measuring metabolic rate in the rat. (D) 7*P*

SIYAMAK A.Y. & MACDONALD I.A. The effect of diet composition on noradrenaline-induced thermogenesis in underfed rats. (C) 15*P*

SIZER A.R. & ROBERTS M.H.T. Bicuculline-evoked epileptiform discharge is depressed by 5-hydroxytryptamine in rat entorhinal cortex *in vitro*. (C) 47*P*

SMIT Geert P. *see* CODY Frederick W.J., SCHWARTZ Matthijs P. & SMIT Geert P. Proprioceptive guidance of human voluntary wrist movements studied using muscle vibration. 455

SMITH M.W. *see* CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Chloride conductance and intracellular chloride accumulation in mouse Peyer's patch enterocytes. 71

SMITH M.W. *see* BROWN D., CREMASCHI D., JAMES P.S., ROSSETTI C. & SMITH M.W. Brush-border membrane alkaline phosphatase activity in mouse Peyer's patch follicle-associated enterocytes. 81

SMITS J.F.M. *see* BENNETT T., COMPTON A.M., GARDINER S.M., GIELEN J., KEMP P.A., SCHOEMAKER R. & SMITS J.F.M. Equipment for quantification of cardiac haemodynamics in conscious, unrestrained rats. (D) 2*P*

SOMASUNDARAM B., TREGEAR R.T. & TRENTHAM D.R. The effect of calcium channel blockers on GTPγS-induced contractions in skinned frog skeletal muscle fibres. (C) 55*P*

SONTAG Jean-Marie, SANDERSON Pamela, KLEPPER Michel, AUNIS Dominique, TAKEDA Kenneth & BADER Marie-France Modulation of secretion by dopamine involves decreases in calcium and nicotinic currents in bovine chromaffin cells. 495

SOSNICKI Andrzej A. *see* ROME Lawrence C. & SOSNICKI Andrzej A. The influence of temperature on mechanics of red muscle in carp. 151

SPYER K. Michael *see* PATON Julian F.R. & SPYER K. Michael Brain stem regions mediating the cardiovascular responses elicited from the posterior cerebellar cortex in the rabbit. 533

SPYER K.M. *see* PATON J.F.R., SILVA-CARVALHO L., GOLDSMITH G.E. & SPYER K.M. Inhibition of barosensitive neurones evoked by lobule IX b of the posterior cerebellar cortex in the decerebrate rabbit. 553

STAINER K. *see* MULLER A.F., STAINER K., FULLWOOD L., HAWKINS M. & COWLEY A.J. The regional haemodynamic effects of food in normal volunteers. (C) 35*P*

STANLEY J.C., MARTIN J.L., BARRON M.E., LOVICK A.H.J., NELSON R.J., RICHARDS H.K. & PICKARD J.D. A study of the cardiovascular and cerebrovascular effects of calcitonin gene-related peptide in human volunteers. (C) 33*P*

STOUGHTON R.P. *see* DEMAINE C., FORSLING Mary L., KELESTIMUR H. & STOUGHTON R.P. Effect of pinealectomy on the vasopressin response to altered plasma volume and osmolality in the rat. (C) 19*P*

SULEIMAN M.S., RODRIGO Glenn C. & CHAPMAN R.A. Effect of hypothermia on Na influx during the Ca paradox in guinea-pig ventricular myocytes and isolated ventricular trabeculae of the ferret. (C) 53*P*

SWIFT F.V. *see* RANKIN A.J., MCWILLIAM T.M., SWIFT F.V. & TRIGGLE C.R. *In vitro* desensitization of the vasorelaxant effects of atrial natriuretic factor on the rat aortic ring preparation. 60*P*

SYKES R.M. *see* DASHWOOD M.R., SYKES R.M. & YACOUB M.H. [^{125}I] endothelin binding sites on human coronary tissue. (C) 28*P*

TAKAHASHI Kunitaro *see* OKADO Haruo & TAKAHASHI Kunitaro Differentiation of membrane excitability in isolated cleavage-arrested blastomeres from early ascidian embryos. 583

TAKAHASHI Kunitaro *see* OKADO Haruo & TAKAHASHI Kunitaro Induced neural-type differentiation in the cleavage-arrested blastomere isolated from early ascidian embryos. 603

TAKEDA Kenneth *see* SONTAG Jean-Marie, SANDERSON Pamela, KLEPPER Michel, AUNIS Dominique, TAKEDA Kenneth & BADER Marie-France Modulation of secretion by dopamine involves decreases in calcium and nicotinic currents in bovine chromaffin cells. 495

TASKER J.G. *see* DYBALL R.E.J., TASKER J.G., WUARIN J.-P. & DUDEK F.E. Intracellular recording from rat supraoptic magnocellular cells *in vivo*. (C) 18*P*

TAY G. *see* BASSEY E.J., TAY G. & WEST F. A comparison between power output in a single leg extension and in weight-bearing activities of brief duration such as stair-running in man. (C) 12*P*

THORBEK G. *see* ASTRUP A.V., THORBEK G., LIND J. & ISAKSSON B. Prediction of 24 h energy expenditure and its components from physical characteristics and body composition in normal-weight humans. (C) 13*P*

TRAINOR M. *see* MELVILLE C.A., TRAINOR M., MCGRATH J.C., DALY C., O'DOWD J.J. & MILLER D.J. Carnosine shows α-adrenoceptor agonist and antagonist properties in saphenous vein isolated from rabbit. (C) 29*P*

TREGEAR R.T. *see* SOMASUNDARAM B., TREGEAR R.T. & TRENTHAM D.R. The effect of calcium channel blockers on GTPγS-induced contractions in skinned frog skeletal muscle fibres. (C) 55*P*

TRENTHAM D.R. *see* SOMASUNDARAM B., TREGEAR R.T. & TRENTHAM D.R. The effect of calcium channel blockers on GTPγS-induced contractions in skinned frog skeletal muscle fibres. (C) 55*P*

TRIGGLE C.R. *see* RANKIN A.J., MCWILLIAM T.M., SWIFT F.V. & TRIGGLE C.R. *In vitro* desensitization of the vasorelaxant effects of atrial natriuretic factor on the rat aortic ring preparation. 60*P*

TSE Amy *see* CLARK Robert B., TSE Amy & GILES W.R. Electrophysiology of parasympathetic neurones isolated from the interatrial septum of bull-frog heart. 89

TSE Amy, CLARK Robert B. & GILES W.R. Muscarinic modulation of calcium current in neurones from the interatrial septum of bull-frog heart. 127

VAN DRIESSCHE Willy *see* MĂRGINEANU Doru-Georg & VAN DRIESSCHE Willy Effects of millimolar concentrations of glutaraldehyde on the electrical properties of frog skin. 567

VERDONCK Fons *see* BIELEN Frieda V., BOSTEELS Suzanne & VERDONCK Fons Consequences of CO_2 acidosis for transmembrane Na^+ transport and membrane current in rabbit cardiac Purkinje fibres. 325

VOIPIO J. *see* KAILA K., SAARIKOSKI J. & VOIPIO J. Mechanism of action of GABA on intracellular pH and on surface pH in crayfish muscle fibres. 241

VOLK K.A. *see* MATSUDA J.J., VOLK K.A. & SHIBATA E.F. Calcium currents in isolated rabbit coronary arterial smooth muscle myocytes. 657

WAKERLEY J.B. *see* INGRAM C.D., MOOS F., WAKERLEY J.B., GUERNÉ Y. & RICHARD Ph. Microinjections of oxytocin (OT) into bed nucleus of the stria terminalis (BNST) and lateral septum (LS) facilitate the milk-ejection reflex in anaesthetized, suckled rats. (C) 16*P*

WAKERLEY J.B. *see* CLARKE G., DAVISON I. & WAKERLEY J.B. Hypothalamic neuroendocrine neurones in the urethane-anaesthetized lactating rat respond to subcutaneous foot-shocks. (C) 17*P*

WATANABE Minoru *see* IMAIZUMI Yuji, MURAKI Katsuhiko & WATANABE Minoru Characteristics of transient outward current in single smooth muscle cells from the ureter of the guinea-pig. 301

WATANABE Tatsuo *see* MORIMOTO Akio, MURAKAMI Naotoshi, SAKATA Yoshiyuki, WATANABE Tatsuo & YAMAGUCHI Kazuhito Functional and structural differences in febrile mechanism between rabbits and rats. 227

WATERFALL A.H., CLARKE R.W. & BENNETT G.W. The use of microdialysis with radioimmunoassay for the measurement of thyrotrophin-releasing hormone in rat brain *in vivo*. (D) 5*P*

WELLS T., FORSLING Mary L. & WINDLE R.J. The vasopressin response to centrally administered hypertonic solutions in the conscious rat. 483

WEST F. *see* BASSEY E.J., TAY G. & WEST F. A comparison between power output in a single leg extension and in weight-bearing activities of brief duration such as stair-running in man. (C) 12*P*

WILLIAMS J.T. *see* PAN Z.Z., WILLIAMS J.T. & OSBORNE P.B. Opioid actions on single nucleus raphe magnus neurons from rat and guinea-pig *in vitro*. 519

WILSON V.G. *see* DUNN W.R., MCGRATH J.C. & WILSON V.G. Activation of post-junctional α_2-adrenoceptors in the rabbit isolated saphenous vein is linked to the opening of dihydropyridine-insensitive calcium channels. (C) 30*P*

WINDLE R.J. *see* WELLS T., FORSLING Mary L. & WINDLE R.J. The vasopressin response to centrally administered hypertonic solutions in the conscious rat. 483

WINDLE R.J. & FORSLING Mary L. Contribution of hyperosmotic and hypovolaemic stimuli to the observed elevation of oxytocin and vasopressin concentrations in the dehydrated rat. (C) 20*P*

WITT Sarah *see* BRANDAO M.L., REES H., WITT Sarah & ROBERTS M.H.T. Anterior pretectal nucleus stimulation attenuates the autonomic effects in anaesthetized rats and aversive effects in unanaesthetized rats of medial hypothalamic stimulation. (C) 48*P*

WOOTTON Penny *see* DAVISON J.S., MATHISON R., WOOTTON Penny, RIMMER Carol & BEFUS A.D. Gastric acid secretion induced in anaphylaxis in *Nippostrongylus brasiliensis*-sensitized rats. (C) 27*P*

WUARIN J.-P. *see* DYBALL R.E.J., TASKER J.G., WUARIN J.-P. & DUDEK F.E. Intracellular recording from rat supraoptic magnocellular cells *in vivo*. (C) 18*P*

WUTTKE W.A. & BERRY M.S. Sodium-dependent chloride accumulation in giant salivary gland cells of the leech, *Haementeria ghilianii*, studied with ion-selective microelectrodes. (C) 23*P*

WUTTKE Werner A. & BERRY Michael S. Rapid co-transport of sodium and chloride ions in giant salivary gland cells of the leech *Haementeria ghilianii*. 51

YACOUB M.H. *see* DASHWOOD M.R., SYKES R.M. & YACOUB M.H. [^{125}I] endothelin binding sites on human coronary tissue. (C) 28*P*

YAMAGUCHI Kazuhito *see* MORIMOTO Akio, MURAKAMI Naotoshi, SAKATA Yoshiyuki, WATANABE Tatsuo & YAMAGUCHI Kazuhito Functional and structural differences in febrile mechanism between rabbits and rats. 227

YOUNG A. *see* LEVIN R.J. & YOUNG A. The effects of *E. coli* STa on intestinal fluid transport in anaesthetized fed and starved rats *in vivo*. (C) 26*P*

ZEUTHEN Thomas KCl co-transport increases water transport across an epithelial cell membrane (choroid plexus of *Necturus maculosus*). (C) 24*P*